



# DUET & QUARTET

QUICK-FIT POWER OUTLETS



# DUET & QUARTET

## QUICK-FIT POWER OUTLETS

### Introducing a new and unique socket outlet with the latest contemporary and innova

The QD Series System comprises 2 gang DUET and 4 gang QUARTET, 10 amp,

Elsafe Australia Pty Ltd has a commitment to sustainable design and manufacture to support a healthy and ecologically sustainable Australia.

#### Versatile socket connections

End sockets have been orientated to accommodate different styles of chargers and battery packs, the QD Series has been designed with the end sockets facing out.

The DUET has earth pins facing opposite directions, and the QUARTET has the earth pins facing opposite directions and the middle two sockets have the earth facing down.

#### Robust yellow retaining clips

To ensure longevity and reusability of the QD Series, Elsafe has incorporated four flexible nylon, retaining clips located within the body to ensure that the socket outlets are held secure when mounted.

The clips lock the body into a metal panel or into the Elsafe thick panel frame.

Made from Glass Filled Nylon 6/6 for flexibility & longevity.

The clips have a serrated edge to secure to metal panels up to 2.6mm thick. Clips are coloured yellow for easy identification.

The selection of the nylon material was crucial given the design requirements where it was imperative that the nylon clips had to remain flexible, without aging over the extended life of the product.



DUET

#### Copper internal busbars

High quality welded copper busbars. Switching contacts incorporate silver contacts.



#### 20 amp Male connector

Complies with AS/NZ standard





# system designed to compliment and integrate tive commercial furniture on the market.

240 volt socket outlets with matching Thick Panel Frame and QD Data System.



QUARTET

### Clear polycarbonate body

The body of the QD Series has been moulded in clear polycarbonate giving the consumer the opportunity of seeing the internal quality & materials used in the design features such as welded metal parts.



### Multiple colour options

The standard colours for the faceplate are Black, Steel Blue, Graphite, Soft Grey, White and Red. Other colours are available upon request subject to a minimum order quantity.

The QD Series of products complies with all statutory standards and utilises recyclable materials such as polycarbonate, nylon, copper, ferrous metal and silver.

### 20 amp Female connector

Complies with AS/NZ standard

### End sockets

End sockets have been orientated to accommodate different styles of chargers and battery packs, the QD Series has been designed with the end sockets facing out.

### Identification code

All products have a unique identification code for the purpose of traceability.



### Faceplate

High Impact polycarbonate construction

### STANDARD COLOURS



BLACK



STEEL BLUE



GRAPHITE



SOFT GREY



WHITE



RED

QD Series Approval No: NSW 21490  
Design registered and patent pending

QUARTET SHOWN WITH QD SERIES THICK PANEL FRAME

# DUET & QUARTET

## THICK PANEL FRAMES



Elsafe QD Series Thick Panel Frames have been designed to fit panels of up to 8mm thick.

The hinged, serrated yellow retaining clips, have been designed to ensure long term flexibility and reusability over the extended life of the product.

Each yellow retaining clip has a spring tension that is independent of the frame making it flexible, strong and has been designed to twist to adjust to fabric panel in corners.



Standard colours for Thick Panel Frames are Black, Steel Blue, Graphite, Soft Grey, White and Red. Also available Powder coated in Light Blue, Silver, Light Metallic Blue and Dark Metallic Blue. Other colours are available subject to a minimum order quantity.

POWDER COATED  
FRAME COLOURS



LIGHT BLUE




SILVER



LIGHT  
METALLIC BLUE



DARK  
METALLIC BLUE



### Hole specifications

Product	Dim A (mm)	Dim B (mm)	Panel Thickness (mm)
Duet Power	135	45	0.8 - 2.6
Quartet Power	216	45	0.8 - 2.6
Duet Thick Panel Frame	194	63	2.6 - 8
Quartet Thick Panel Frame	275	63	2.6 - 8
Duet Thick Panel Frame*	194	63	8+
Quartet Thick Panel Frame*	275	63	8+

\* For panels thicker than 8mm, routing of the rear surface of the mounting panel is required.

### OUR COMMITMENT TO A SUSTAINABLE ENVIRONMENT

Elsafe Australia Pty Ltd has a commitment to sustainable design and manufacture to support a healthy and ecologically sustainable Australia.

Elsafe Australia has a mandate to design products that incorporate recyclable and reusable materials.

All materials are recyclable.

Elsafe products can be re-used from application to application throughout the life of the product.

#### SYDNEY

Unit 1 / 9 Rodborough Rd, Frenchs Forest NSW 2086  
Tel: + 61-2-9454 7500 Fax: + 61-2-9454 7505  
Email: sales@elsafe.com.au

#### BRISBANE

Suite 8/36 Agnes St, Fortitude Valley QLD 4006  
Tel: 07 3854 0277 Fax: 07 3854 0322  
Email: qld@elsafe.com.au

#### MELBOURNE

Unit 5/861 Doncaster Road, Doncaster East VIC 3109  
Tel: 03 9840 1321 Fax: 03 9840 0159  
Email: vic@elsafe.com.au